



# File Integrity Monitoring API v3

## API Release Notes

Version 3.6

October 10, 2022

### What's New

[Role-Based Access Permissions to FIM APIs](#)

## Qualys API Server URL

The Qualys API URL you should use for API requests depends on the Qualys platform where your account is located.

[Click here to identify your Qualys platform and get the API URL](#)

This documentation uses the API server URL for Qualys US Platform 1 (<https://qualysapi.qualys.com>) in sample API requests. If you're on another platform, please replace this URL with the appropriate server URL for your account.

## Role-Based Access Permissions to FIM APIs

API affected	All POST/PUT/PATCH/DELETE APIs
New or Updated API	Updated API Response
DTD or XSD changes	Not Applicable

FIM 3.6 integrates RBAC model to control access to FIM operations via APIs. A Manager user can create multiple users with required roles and authorize them for relevant operations in FIM. If a user makes an API call for an operation, but does not have the required permission for the action, the user receives a 500 INTERNAL SERVER ERROR in the response.

### Response Code

- 500: Internal Server error

### Sample: Incident Creation by an Unauthorized User

#### API Request:

```
curl -X POST
https://gateway.xxx.eng.xxx.qualys.com/fim/v3/incidents/create -H
'authorization: Bearer <token>' -H 'content-type: application/json' -d
@request.json
```

#### Response:

```
"errorCode" : "500 INTERNAL SERVER ERROR",
"message": "User <USER NAME> does not have the permission to perform this
operation. Ensure that required permissions are assigned to the user.",
"timestamp": 1654169949515
```